


---

Underground  
Waste Containers  
**EQUINORD**

# THE EQUINORD SYSTEM

## LAYOUT



1. SURFACE RECEPTACLE
2. GROUND SURFACE PLATE
3. WASTE CONTAINER
4. FRAMEWORK
5. ELECTRO-HYDRAULIC SYSTEM (Optional)
6. PREFABRICATED MODULE

A3 - type system

Plan view

Cross section



INSTALLATIONS

DETAIL

MECHANISMS

## ADVANTAGES

Attractive  
Hygienic  
Accessible  
Easy-to-use  
Safe  
Lifetime guarantee  
(with Equinord's optional full maintenance service)

## R&D / PATENTS

Our R&D department has patented over 25 products. The EQUINORD System is just one of these. It is the first underground solid urban waste collection system.

## LEGAL


The system meets all environmental and operating regulations. It complies with EC directive 98/37 and holds the ISO 9001 standard.



# TYPE A and TYPE H



## SPECIFICATIONS



### CAPACITY

Type A 1,300 ltr per container  
Type H 2,000 ltr per container

### NUMBER OF CONTAINERS

1 to 4

### TYPE OF WASTE

Glass, plastic, paper, cardboard  
and organic

### TYPE OF REFUSE COLLECTION TRUCK

Rear-loading

### LIFTING SYSTEM

Hydraulic

### LIFTING / LOWERING TIME

10 seconds

## SYSTEM DIMENSIONS




	Number of containers	Surface Receptacle (L, W, H)	Container (L x W x D)
TYPE A <sub>1</sub> / H <sub>1</sub>	1	735 x 460 x 900	A <sub>1</sub> 1,570 x 1,570 x 2,000 H <sub>1</sub> 2,400 x 1,570 x 2,000
TYPE A <sub>2</sub> / H <sub>2</sub>	2	735 x 460 x 900	A <sub>2</sub> 2,650 x 1,570 x 2,000 H <sub>2</sub> 3,120 x 2,100 x 2,000
TYPE A <sub>3</sub> / H <sub>3</sub>	3	735 x 460 x 900	A <sub>3</sub> 3,890 x 1,570 x 2,000 H <sub>3</sub> 4,560 x 2,100 x 2,000
TYPE A <sub>4</sub> / H <sub>4</sub>	4	735 x 460 x 900	A <sub>4</sub> 5,130 x 1,570 x 2,000 H <sub>4</sub> 6,000 x 2,100 x 2,000

dimensions in mm

# TYPE SL



## SPECIFICATIONS



**CAPACITY**  
3,000/4,000 ltr per container

**NUMBER OF CONTAINERS**  
1 to 3

**TYPE OF WASTE**  
Glass, plastic, paper, cardboard and organic

**TYPE OF REFUSE COLLECTION TRUCK**  
Crane truck

**LIFTING SYSTEM**  
Hydraulic

**OPENING/CLOSING TIME**  
10 seconds

## SYSTEM DIMENSIONS

	Number of containers	Surface Receptacle (L, W, H)	Container (L x W x D)
TYPE SL 1	1	735 x 460 x 900	1,570 x 1,570 x 2,200
TYPE SL 2	2	735 x 460 x 900	2,650 x 1,570 x 2,200
TYPE SL 3	3	735 x 460 x 900	3,890 x 1,570 x 2,200


Dimensions in mm



# TYPE CLT



## SPECIFICATIONS



**CAPACITY**  
4,000 ltr per container

**NUMBER OF CONTAINERS**  
1 or 2

**TYPE OF WASTE**  
Organic and recyclable

**TYPE OF REFUSE COLLECTION TRUCK**  
Automatic side-loading,  
single-operating vehicle

**LIFTING SYSTEM**  
Electro-hydraulic with remote control

**OPENING/CLOSING TIME**  
12 seconds

**SEQUENTIAL ELECTRONIC LOCKING  
AND UNLOCKING SYSTEM**  
(Optional)

## SYSTEM DIMENSIONS


	Number of containers	Surface Receptacle (L, W, H)	Container (LxWxD)
TYPE CLT 19 - 24	1	735 x 460 x 900	2,400 x 1,900 x 2,200
TYPE CLT 19 - 48	2	735 x 460 x 900	4,800 x 1,900 x 2,200

Dimensions in mm

# TYPE CP



## SPECIFICATIONS



**CAPACITY**  
3.000, 4.000, 5.000 ltr  
per container

**NUMBER OF CONTAINERS**  
1

**TYPE OF WASTE**  
Glass, plastic, paper, cardboard and organic

**TYPE OF REFUSE COLLECTION TRUCK**  
Double crane hook  
simple hook, kinshofer

**LIFTING SYSTEM**  
Mechanical cranes

**OPENING/CLOSING TIME**  
10 seconds

## SYSTEM DIMENSIONS

	Capacity of container	Surface Receptacle (L, W, H)	Container (L x W x D)
TYPE CP <sub>3</sub>	3,000 liters	735 x 725 x 1,000	1,900 x 1,900 x 2,200
TYPE CP <sub>4</sub>	4,000 liters	735 x 725 x 1,000	1,900 x 1,900 x 2,700
TYPE CP <sub>5</sub>	5,000 liters	735 x 725 x 1,000	1,900 x 1,900 x 3,200


Dimensions in mm

# TYPE CM

## UNDERGROUND COMPACTOR



### SPECIFICATIONS



**CAPACITY**  
25 cubic metres

**NUMBER OF CONTAINERS**  
1

**TYPE OF WASTE**  
Glass, plastic, paper, cardboard  
and organic

**TYPE OF REFUSE COLLECTION TRUCK**  
Rear loading crane

**LIFTING SYSTEM**  
Hydraulic

**OPENING/CLOSING TIME**  
90 seconds

### SYSTEM DIMENSIONS

	Compactor Capacity	Surface Receptacle (L, W, H)	Compactor (L x W x D)
TYPE CM-50	15 cubic metres approx.	970 x 600 x 1,270	5,500 x 3,250 x 3,300
TYPE CM-70	25 cubic metres approx.	970 x 600 x 1,270	7,000 x 3,250 x 3,300

Dimensions in mm

EQUINORD wishes to inform customers that the information in this catalogue is subject to possible changes. Changes will be introduced according to the technological advances that the company may make.



Polígono La Baileta, calle A, nº 11  
08348 CABRILS  
BARCELONA · ESPAÑA

Tel. + 34 93 753 10 18  
Fax + 34 93 753 38 19

e-mail: [info@equinord.es](mailto:info@equinord.es)  
[www.equinord.es](http://www.equinord.es)

All intellectual property rights reserved. The partial or whole reproduction of such in any means or through any medium is strictly prohibited.